Wood Science Index . . . Vol. 1, 1968-69

Articles are indexed according to the FPRS Subject-Matter Divisions and by author. To find an article on a given subject, study the areas covered under the most appropriate Division heading. Reprint order number and cost are listed. Reprints are available of all articles listed. The Author Index, under senior author listing, contains titles, reprint order number, and the cost per single copy. Check or money order must accompany all orders. Special bulk rates are available.

FPRS Subject Index

ANATOMY AND FUNDAMENTAL PROPERTIES

Autoxidation of Beechwood and Its Components, M. Kosik, M. Micko and R. Domansky, 3:167 (No. 4166 — $1.00)

Cell-Wall Density of Wood with Particular Reference to the Southern Pines, F. F. Wangaard, 4:222 (No. 4184 — $1.00)

Cell-Wall Morphology of Longleaf Pine Latewood, C. E. Dunning, 2:65 (No. 4116 — $1.50)

Effective Radii of Lumen and Pit Pores in Softwood, A. J. Stamm, S. W. Clary, and W. J. Elliott, 2:93 (No. 4071 — $1.50)

An Explanation of Floccosoid Formation in the Wood of Western Hemlock, G. M. Barton and C. R. Daniels, 4:238 (No. 4199 — $0.60)

Factors Contributing to Heartwood-Boundary Stain in Living Oak, E. H. Bulgrin and J. C. Ward, 1:58 (No. 3765 — $1.40)

Organization of Tension Wood Fibres with Special Reference to the Gelatinous Layer in *Populus Tremuloides* Michx, A. J. Mia, 2:105 (No. 4070 — $1.50)

Proximate Fuel Analysis of Some Western Wood and Bark, J. G. Mingle and R. W. Boubel, 1:29 (No. 4009 — $1.50)

Relationship of Gelatinous Fiber Development to Tree Lean in Soft Maple, D. G. Arganbright and D. W. Bensend, 1:37 (No. 4002 — $0.80)

Specific Heat of Ovendry Spruce Pine Wood and Bark, P. Koch, 4:203 (No. 4178 — $1.50)

Structure, Density, and Shrinkage Variation Within a Silver Maple Tree, E. S. A. Ezzat Kandeel and D. W. Bensend, 4:227 (No. 4218 — $1.50)

MECHANICAL CONVERSION

Temperature Gradients and Thermal Stresses in Circular Saws, J. D. Cumming and G. S. Gill, 2:86 (No. 4048 — $1.40)

CHEMICAL CONVERSION

Composition of Mindoro Pine Gum Oleoresin, A. B. Anderson, R. Riffer, Addie Wong, and L. A. Ynalvez, 1:12 (No. 4034 — $0.60)

A Geometrical Model for Wood-Polymer Composites, J. F. Siau, R. W. Davidson, J. A. Meyer, and C. Skaar, 2:116 (No. 4060 — $1.50)

Properties of Paper Obtained from Ultrasonically and Mechanically Beaten Pulps, Peter Labosky, Jr., and R. E. Martin, 3:183 (No. 4053 — $1.50)

The Separation of Phenols, Derived from Spruce/Balsam Bark Pyrolyzates, on Polyamide, W. N. Martin, 2:102 (No. 4092 — $0.60)

The Swelling of Basswood by Vinyl Monomers, J. F. Siau, 4:250 (No. 4208 — $0.80)

PARTICLE AND FIBER PROCESSES

Prediction of Flexural Creep and Stress Rupture in Hardboard by Use of a Time-Temperature Relationship, J. Haygreen and D. Sauer, 4:241 (No. 4122 — $1.50)

GLUES AND GLUING PROCESSES

Accelerated Aging of Glue-Wood Bonds, G. E. Troughton, 3:172 (No. 4111 — $1.00)

A Kinetic Study of the Polymerization of Phenol-Formaldehyde Resin in the Presence of Cellulosic Materials, S. -Z. Chow, 4:215 (No. 4091 — $1.40)

Stability of Douglas-Fir Plywood as Affected by Internal and External Dimensional Changes, S.-Z. Chow and R. W. Wellwood, 1:1 (No. 3791 — $1.50)

TREATMENTS AND COATINGS

10,10′— Oxybisphenoxarsine — A Candidate Wood Preservative, F. L. Brown and R. M. Gooch, 1:41 (No. 3771 — $1.20)

Wood Science Index . . . Vol. 1, 1968-69

Articles are indexed according to the FPRS Subject-Matter Divisions and by author. To find an article on a given subject, study the areas covered under the most appropriate Division heading. Reprint order number and cost are listed. Reprints are available of all articles listed. The Author Index, under senior author listing, contains titles, reprint order number, and the cost per single copy. Check or money order must accompany all orders. Special bulk rates are available.

FPRS Subject Index

ANATOMY AND FUNDAMENTAL PROPERTIES

Autoxidation of Beechwood and Its Components, M. Kosik, M. Micko and R. Domansky, 3:167 (No. 4166 — $1.00)

Cell-Wall Density of Wood with Particular Reference to the Southern Pines, F. F. Wangaard, 4:222 (No. 4184 — $1.00)

Cell-Wall Morphology of Longleaf Pine Latewood, C. E. Dunning, 2:65 (No. 4116 — $1.50)

Effective Radii of Lumen and Pit Pores in Softwood, A. J. Stamm, S. W. Clary, and W. J. Elliott, 2:93 (No. 4071 — $1.50)

An Explanation of Floccosoid Formation in the Wood of Western Hemlock, G. M. Barton and C. R. Daniels, 4:238 (No. 4199 — $0.60)

Factors Contributing to Heartwood-Boundary Stain in Living Oak, E. H. Bulgrin and J. C. Ward, 1:58 (No. 3765 — $1.40)

Organization of Tension Wood Fibres with Special Reference to the Gelatinous Layer in *Populus Tremuloides* Michx, A. J. Mia, 2:105 (No. 4070 — $1.50)

Proximate Fuel Analysis of Some Western Wood and Bark, J. G. Mingle and R. W. Boubel, 1:29 (No. 4009 — $1.50)

Relationship of Gelatinous Fiber Development to Tree Lean in Soft Maple, D. G. Arganbright and D. W. Bensend, 1:37 (No. 4002 — $0.80)

Specific Heat of Ovendry Spruce Pine Wood and Bark, P. Koch, 4:203 (No. 4178 — $1.50)

Structure, Density, and Shrinkage Variation Within a Silver Maple Tree, E. S. A. Ezzat Kandeel and D. W. Bensend, 4:227 (No. 4218 — $1.50)

MECHANICAL CONVERSION

Temperature Gradients and Thermal Stresses in Circular Saws, J. D. Cumming and G. S. Gill, 2:86 (No. 4048 — $1.40)

CHEMICAL CONVERSION

Composition of Mindoro Pine Gum Oleoresin, A. B. Anderson, R. Riffer, Addie Wong, and L. A. Ynalvez, 1:12 (No. 4034 — $0.60)

A Geometrical Model for Wood-Polymer Composites, J. F. Siau, R. W. Davidson, J. A. Meyer, and C. Skaar, 2:116 (No. 4060 — $1.50)

Properties of Paper Obtained from Ultrasonically and Mechanically Beaten Pulps, Peter Labosky, Jr., and R. E. Martin, 3:183 (No. 4053 — $1.50)

The Separation of Phenols, Derived from Spruce/Balsam Bark Pyrolyzates, on Polyamide, W. N. Martin, 2:102 (No. 4092 — $0.60)

The Swelling of Basswood by Vinyl Monomers, J. F. Siau, 4:250 (No. 4208 — $0.80)

PARTICLE AND FIBER PROCESSES

Prediction of Flexural Creep and Stress Rupture in Hardboard by Use of a Time-Temperature Relationship, J. Haygreen and D. Sauer, 4:241 (No. 4122 — $1.50)

GLUES AND GLUING PROCESSES

Accelerated Aging of Glue-Wood Bonds, G. E. Troughton, 3:172 (No. 4111 — $1.00)

A Kinetic Study of the Polymerization of Phenol-Formaldehyde Resin in the Presence of Cellulosic Materials, S. -Z. Chow, 4:215 (No. 4091 — $1.40)

Stability of Douglas-Fir Plywood as Affected by Internal and External Dimensional Changes, S.-Z. Chow and R. W. Wellwood, 1:1 (No. 3791 — $1.50)

TREATMENTS AND COATINGS

10,10′— Oxybisphenoxarsine — A Candidate Wood Preservative, F. L. Brown and R. M. Gooch, 1:41 (No. 3771 — $1.20)

DRYING

Diffusion Equation Solutions in Experimental Wood Drying, W. W. Moschler, Jr. and R. E. Martin, 1:47 (No. 4052 — $1.50)

Separating Internal and External Resistance of Moisture Removal in Wood Drying, E. T. Choong and C. Skaar, 4:200 (No. TN-160 — $0.60)

A Study of Moisture Content Gradients in Wood by Vibrational Techniques, A. A. Moslemi, 2:77 (No. 4098 — $1.50)

WOOD ENGINEERING

Development of Tensile Strength and Related Properties in Differentiating Coniferous Xylem, George A. Grozdits and Geza Ifju, 3:137 (No. 4067 — $1.50)

The Engineering Design of Mechanically Fastened Trusses — A Review, S. K. Suddarth, 4:193 (No. 4154 — $1.40)

Layered Wood Systems with Interlayer Slip, James R. Goodman, 3:148 (No. 4114 — $1.50)

Load Distribution in a Row of Fasteners Subjected to Lateral Load, G. Lantos, 3:129 (No. 4094 — $1.50)

Perpendicular-to-Grain Compression Set Induced by Restrained Swelling, R. Bruce Hoadley, 3:159 (No. 4073 — $1.50)

Relationship Between Perpendicular Compressive Strength and Shear Strength of Wood, W. L. Mandery, 3:177 (No. 4107 — $1.20)

Shear Strength of Radiation Produced Wood-Plastic Combinations, W. E. Loos and J. A. Kent, 1:23 (No. 4022 — $1.20)

Static and Dynamic Strength and Elastic Properties of Ponderosa and Loblolly Pine, W. L. James, 1:15 (No. 3709 — $1.50)

FPRS Author Index

A

Anderson, A. B., Composition of Mindoro Pine Gum Oleoresin, 1:12 No. 4034 — $0.60)

Arganbright, D. G., Relationship of Gelatinous Fiber Development to Tree Lean in Soft Maple, 1:37 (No. 4002 — $0.80)

B

Barton, G. M., An Explanation of Floccosoid Formation in the Wood of Western Hemlock, 4:238 (No. 4199 — $0.60)

Bensend, D. W., *see* Arganbright, D. G.

Bensend, D. W., *see* Kandeel, E. S. A. Ezzat

Boubel, R. W., *see* Mingle, J. G.

Brown, F. L., 10,10′ —Oxybisphenoxarsine — A Candidate Wood Preservative, 1:41 (No. 3771—$1.20)

Bulgrin, E. H., Factors Contributing to Heartwood-Boundary Stain in Living Oak, 1:58 (No. 3765 — $1.40)

C

Choong, E. T., Separating Internal and External Resistance of Moisture Removal in Wood Drying, 4:200 (No. TN-160 — $0.60)

Chow, S. -Z., A Kinetic Study of the Polymerization of Phenol-Formaldehyde Resin in the Presence of Cellulosic Materials, 4:215 (No. 4091 — $1.40)

Chow, S.-Z., Stability of Douglas-Fir Plywood as Affected by Internal and External Dimensional Changes, 1:1 (No. 3791 — $1.50)

Clary, S. W., *see* Stamm, A. J.

Cumming, J. D., Temperature Gradients and Thermal Stresses in Circular Saws, 2:86 (No. 4048 — $1.50)

D

Daniels, C. R., *see,* Barton, G. M.

Davidson, R. W., *see* Siau, J. F.

Domansky, R., *see* Kosik, M.

Dunning, C. E., Cell-Wall Morphology of Longleaf Pine Latewood, 2:65 (No. 4116 — $1.50)

E

Elliott, W. J., *see* Stamm, A. J.

G

Gill, G. S., *see* Cumming, J. D.

Gooch, R. M., *see* Brown, F. L.

Goodman, J. R., Layered Wood Systems with Interlayer Slip, 3:148 (No. 4114 — $1.50)

Grozdits, G. A., Development of Tensile Strength and Related Properties In Differentiating Coniferous Xylem, 3:137 (No. 4067 — $1.50)

H

Haygreen, J. G., Prediction of Flexural Creep and Stress Rupture in Hardboard by Use of a Time-Temperature Relationship, 4:241 (No. 4122 — $1.50)

Hoadley, R. B., Perpendicular-to-Grain Compression Set Induced by Restrained Swelling, 3:159 (No. 4073 — $1.50)

I

Ifju, Geza, *see* Grozdits, G. A.

J

James, W. L., Static and Dynamic Strength and Elastic Properties of Ponderosa and Loblolly Pine, 1:15 (No. 3709 — $ 1.50)

K

KANDEEL, E. S. A. EZZAT, Structure, Density, and Shrinkage Variation Within a Silver Maple Tree, 4:227 (No. 4218 — $1.50)
KENT, J. A., *see* LOOS, W. E.
KOCH, P., Specific Heat of Ovendry Spruce Pine Wood and Bark, 4:20 (No. 4178 — $1.50)
KOSIK, M., Autoxidation of Beech Wood and its Components, 3:167 (No. 4166 — $1.00)

L

LABOSKY, P., JR., Properties of Paper Obtained from Ultrasonically and Mechanically Beaten Pulps, 3:183 (No. 4053 — $1.50)
LANTOS, G., Load Distribution in a Row of Fasteners Subjected to Lateral Load, 3:129 (No. 4094 — $1.50)
LOOS, W. E., Shear Strength of Radiation Produced Wood-Plastic Combinations, 1:23 (No. 4022 — $1.20)

M

MANDERY, W. L., Relationship Between Perpendicular Compressive Strength and Shear Strength of Wood, 3:177 (No. 4107 — $1.20)
MARTIN, R. E., *see* LABOSKY, P., JR.
MARTIN, R. E., *see* MOSCHLER, W. W.
MARTIN, W. N., The Separation of Phenols, Derived from Spruce/Balsam Bark Pyrolyzates, on Polyamide, 2:102 (No. 4092 — $0.60)
MEYER, J. A., *see* SIAU, J. F.
MIA, A. J., Organization of Tension Wood Fibres with Special Reference to the Gelatinous Layer in *Populus Tremuloides* Michx, 2:105 (No. 4070 — $1.50)
MICKO, M., *see* KOSIK, M.
MINGLE, J. G., Proximate Fuel Analysis of Some Western Wood and Bark, 1:29 (No. 4009 — $1.50)
MOSCHLER, W. W., Diffusion Equation Solutions in Experimental Wood Drying, 1:47 (No. 4052 — $1.50)
MOSLEMI, A. A., A Study of Moisture Content Gradients in Wood by Vibrational Techniques, 2:77 (No. 4098 — $1.50)

R

RIFFER, R., *see* ANDERSON, A. B.,

S

SAUER, D., *see* HAYGREEN, J. G.
SIAU, J. F., A Geometrical Model for Wood-Polymer Composites, 2:116 (No. 4060 — $1.50)
SIAU, J. F., The Swelling of Basswood by Vinyl Monomers, 4:250 (No. 4208 — $0.80)
SKAAR, C., *see* CHOONG, E. T.
SKAAR, C., *see* SIAU, J. F.
STAMM, A. J., Effective Radii of Lumen and Pit Pores in Softwood 2:93 (No. 4071 — $1.50)
SUDDARTH, S. K., The Engineering Design of Mechanically Fastened Trusses — A Review, 4:193 (No. 4154 — $1.40)

T

TROUGHTON, G. E., Accelerated Aging of Glue-Wood Bonds, 3:172 (No. 4111 — $1.00)

W

WANGAARD, F. F., Cell-Wall Density of Wood with Particular Reference to the Southern Pines, 4:222 (No. 4184 — $1.00)
WARD, J. C., *see* BULGRIN, E. H.
WELLWOOD, R. W., *see* CHOW, S.-Z.
WONG, ADDIE, *see* ANDERSON, A. B.

Y

YNALVEZ, L. A., *see* ANDERSON, A. B.